

FIG.1




FIG.2




FIG.3




FIG.4

Start




FIG.




FIG.6





FIG.






FIG.9




FIG.10




FIG.11

0	٦	0X		Y0
-	R	×		Y1
7	M	X		Y2 Y1
С	Set	χ		¥3
4	Bat. Low	X4		Y4
'n	Seq.	XX		Υ5
9	Device Type	X7 X6		Y7 Y6
7	Dev Ty	X7		Y7
Description	Packet Command	X		Ā
Byte	-	7	-	ъ

TABLE.1

0	End	j	
-	M/B		
7	1		
ю	Set	ıber	В
4	Bat. Low	Key Number	ChkSum
5	Seq.		
9	Device Type Seq.		
7	Device		
Description	Packet Command	Scanned Key	Checksum
Byte	=	2	С

TABLE.2

PODDOTO CHURCH

2 1 0	Count Down				
3	Set	e,	Sum	uns.	- ung
4	Bat. Low	New ID	ChkSum	ChkSum	ChkSum
S	Seq.				ļ
9 2	Device Type				
Description	Packet Command	×	Y	Mouse Command	Checksum
Byte	-	7	ю	4	5

TABLE.3

	Win		
-	Count Down	 	
7	ပိ		PRINCIPLE AND ADDRESS OF THE PRINCIPLE AND AD
ю	Set		В
4	Bat. Low	New ID	ChkSum
٠	Seq. I		
9	Device Type		
7	Device	i	
Description	Packet Command	Scanned Key	Checksum
Byte	-	7	6

TABLE.4